

MATERIAL SAFETY DATA SHEET

SECTION I

BM-Endo Developer (Page 1 of 3) b"h

Product Name **BM-Endo Developer**

<u>Name of Supplier</u>	B.M. Group Inc.	Plant:	BM (NAKP Foto Inc.)
<u>Address</u>	5782 Ilan Ramon Montréal, Quebec H3W 3L4		1751 Richardson Suite 3315 Montreal, Quebec H3K 1G6
<u>Telephone</u>	(514) 738-5200		(514) 932-8057

SECTION II - HAZARDOUS INGREDIENTS

<u>Hazardous Ingredients</u>	<u>Approximate Concentration</u>	<u>C.A.S.</u>
Potassium sulfite	5-10	10117-38-1
Potassium hydroxide	1-5	1310-58-3
Hydroquinone	4	123-31-9

SECTION III - PHYSICAL DATA

Appearance and odour:	Clear, slightly yellow liquid, odorless
Boiling Point:	212 degrees Farenheit, 100 degrees Celsius
Specific gravity:	1.104
Vapour Pressure:	18
Volatile Fraction by Weight:	Cs. 85%
Vapour density:	0.6
Evaporation rate:	0.36
Solubility in water:	100% complete
pH:	N/A

 SECTION IV - FIRE AND EXPLOSION HAZARD OF MATERIAL

Flash point:	Noncombustible
Extinguished media:	Use appropriate agent for surrounding fire
Special Fire fighting procedures:	Wear self-contained breathing apparatus and protective clothing
Unusual fire and explosion hazards:	Fire or excessive heat may cause production of hazardous decomposition products.

SECTION V - REACTIVITY AREA

Chemical Stability:	Yes
Incompatibility to other substances:	Yes
Which ones:	strong acids
Hazardous decomposition:	thermal decomposition may produce oxides or sulfur

SECTION VI - TOXICOLOGICAL PROPERTIES OF MATERIAL

Exposure effects:	
Inhalation:	Low hazard for recommended handling
Eyes:	Causes burns
Skin:	Prolonged or repeated skin contact may cause skin irritation and may cause an allergic skin reaction.
Ingestion:	Expected to be a low ingestion hazard. If swallowed, may cause gastrointestinal tract irritation.

SECTION VII - PREVENTIVE MEASURES

Ventilation:	Good general ventilation should be sufficient. Typically 10 room volumes per hour is considered good general ventilation. Ventilation rates should be matched to conditions of use.
Skin and eye protection:	Safety glasses with side shields or goggles are recommended. For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. The routine use of a non-alkaline (acid) type of hand cleaner will help minimize the possibility of allergic skin reaction.

Storage and Disposal

Special storage and handling precautions: Avoid contact with strong acids.

Spill, leak, and disposal procedures: Neutralize with sodium bisulfate. Flush material to an acid-free sewer with large amounts of water. Discharge, treatment, or disposal may be subject to federal, provincial or municipal laws.

SECTION VIII - First Aid measures

Inhalation: If symptomatic, remove to fresh air. Get medical attention if symptoms persist.

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately.

Skin: Immediately flush skin with plenty of soap and water. Get medical attention if symptoms are present after washing.

Ingestion: If swallowed, drink 1-2 glasses of water. Seek medical attention immediately.

ADDITIONAL NOTES:

The above information is accurate to the best of our knowledge, however since date, safety standards and government regulations change, and the conditions of handling and use or misuse are beyond our control, seller makes no warranty either expressed or implied with respect to the completeness or continuing accuracy of information herein and disclaims all liability for reliance thereon.

March 2010